



**NOTICE OF COMPLETION
AND
AUTHORIZATION TO APPLY THE UL MARK**

09/18/2015

Exsense Electronics Technology Co Ltd
 Qiuping Pan
 Tangxia Industry Zone, Mugang Town
 Duanzhou District
 526020
 Zhaoqing Guangdong 526020, Cn

Our Reference: File E476416, Vol. 1 Project Number 4786936207
 Your Reference: UL Quote#1100864532
 Project Scope: USR, CNR - Thermistor-type devices, Negative Temperature Coefficient (NTC) Sensing Thermistor, Models DT501 @3200,DT501 @3360,DT102 @3274,DT102 @3401, DT102 @3470,DT1K2 @3274,DT1K2 @3401,DT202 @3401, DT202 @3470,DT202 @3650,DT202 @3743,DT202 @3700, DT202 @3936,DT202 @3950,DT2K252 @3936,DT502 @3274,DT502 @3435,DT502 @3470,D T502 @3743,DT502 @3650,DT502 @3936,DT502 @3950,DT502 @3977,DT502 @4000,DT50 2 @4150,DT502 @4250,DT103 @3274,DT103 @3435,DT103 @3470,DT103 @3550,DT103 @3 740,DT103 @3936,DT103 @3950,DT103 @3977,DT103 @4050,DT103 @4100,DT103 @4250, DT203 @3550,DT203 @3743,DT203 @3950,DT203 @3977,DT203 @4050,DT203 @4100,DT3 03 @3936,DT303 @3950,DT303 @3964,DT303 @4050,DT303 @4100,DT473 @3950,DT473 @ 4050,DT473 @4100,DT503 @3792,DT503 @3950,DT503 @3977,DT503 @3964,DT503 @405 0,DT503 @4100,DT503 @4150,DT503 @4250,DT104 @3792,DT104 @3950,DT104 @3964,D T104 @3977,DT104 @4050,DT104 @4100,DT104 @4150,DT104 @4250(total 67)

Where "@" can be B, C, D, F, G, H or J, it represents tolerance of R25. B=±0.15%, C=±0.3%, D=±0.6%, F=±1%, G=±2%, H=±3%, J=±5%

Dear Qiuping Pan:

Congratulations! UL's investigation of your product(s) has been completed under the above Reference Number and the product was determined to comply with the applicable requirements. This letter temporarily supplements the UL Follow-Up Services Procedure and serves as authorization to apply the UL Mark at authorized factories under UL's Follow-Up Service Program. To provide your manufacturer(s) with the intended authorization to use the UL Mark, you must send a copy of this notice to each manufacturing location currently authorized under File E476416, Vol. 1 and including any special instructions as indicated in the addendum to this letter.

Records in the Follow-Up Services Procedure covering the product are now being prepared and will be sent in the near future. Until then, this letter authorizes application of the UL Mark for 90 days from the date indicated above.

Additional requirements related to your responsibilities as the Applicant can be found in the document "Applicant responsibilities related to Early Authorizations" that can be found at the following web-site: <http://www.ul.com/EAResponsibilities>

Any information and documentation provided to you involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL.

We are excited you are now able to apply the UL Mark to your products and appreciate your business. Feel free to contact me or any of our Customer Service representatives if you have any questions.

Very truly yours,

Reviewed by:

Fernand Luo
+86 20 3213 1225
Project Engineer
Fernand.Luo@ul.com

Bruce A. Mahrenholz
847-664-3009
CPO Director
Bruce.A.Mahrenholz@ul.com

Joseph Zhou
Associate Project Engineer
Joseph.Zhou@ul.com
CC: ,

NBK6AC7-79D8C9



IPI ADDENDUM



NOTICE OF COMPLETION AND AUTHORIZATION TO APPLY THE UL MARK

Our Reference: File E476416, Vol. 1 Project Number 4786936207
Your Reference: UL Quote#1100864532
Project Scope: USR, CNR - Thermistor-type devices, Negative Temperature Coefficient (NTC) Sensing Thermistor, Models DT501@3200,DT501@3360,DT102@3274,DT102@3401, DT102@3470,DT1K2@3274,DT1K2@3401,DT202@3401, DT202@3470,DT202@3650,DT202@3743,DT202@3700, DT202@3936,DT202@3950,DT2K252@3936,DT502@3274,DT502@3435,DT502@3470,DT502@3743,DT502@3650,DT502@3936,DT502@3950,DT502@3977,DT502@4000,DT502@4150,DT502@4250,DT103@3274,DT103@3435,DT103@3470,DT103@3550,DT103@3740,DT103@3936,DT103@3950,DT103@3977,DT103@4050,DT103@4100,DT103@4250,DT203@3550,DT203@3743,DT203@3950,DT203@3977,DT203@4050,DT203@4100,DT303@3936,DT303@3950,DT303@3964,DT303@4050,DT303@4100,DT473@3950,DT473@4050,DT473@4100,DT503@3792,DT503@3950,DT503@3977,DT503@3964,DT503@4050,DT503@4100,DT503@4150,DT503@4250,DT104@3792,DT104@3950,DT104@3964,DT104@3977,DT104@4050,DT104@4100,DT104@4150,DT104@4250(total 67)

Where "@" can be B, C, D, F, G, H or J, it represents tolerance of R25. B=±0.15%, C=±0.3%, D=±0.6%, F=±1%, G=±2%, H=±3%, J=±5%

This addendum covers products manufactured at the following location:

EXSENSE ELECTRONICS TECHNOLOGY CO LTD
Mr. Pan
Tangxia Industry Zone, Mugang Town, Duanzhou District
Zhaoqing Guangdong 526020, China
896763

Before you may begin shipping product with the UL Mark at the above manufacturing locations, an Initial Production Inspection (IPI) must be successfully performed by a UL representative at the location.

The IPI is intended to confirm that your manufacturing location is capable of producing a product in accordance with UL's requirements. **YOU MAY NOT SHIP PRODUCTS WITH THE UL MARK UNTIL THE IPI HAS BEEN COMPLETED AND UL HAS FOUND THE PRODUCTS AT THE FACTORY TO COMPLY WITH OUR REQUIREMENTS.** Once the IPI has been successfully completed, you will be granted authorization to ship products bearing the UL Mark.

Instructions for the IPI will be sent to our inspection center nearest to you. The Inspection Center will contact you shortly to make arrangements for the IPI.

Inspection Center information

GUANGZHOU	316	Mr. Liu Jian Biao 刘建彪 13318899208 Mr. Li Jian 李健 13809772080	86-20-3829- 0001 ext 7101 ext 7102	86-20-3829- 0802	Ulic316@ccicgd.com liujianbiao@ccicgd.com lijian@ccicgd.com
Address: 17-18/F, West Tower, 66 Hua cheng da dao, Zhu jiang Xin Cheng, Guangzhou, 510623, China 中国广州市珠江新城花城大道66号西塔楼17楼1701房, 邮政编码: 510623					